

1/16

110




Fig.1

FIG. 1

2/16




Fig.2

3/16




Fig.3

4/16




Fig.4

5/16




Fig.5

6/16




Fig.6

7/16




Fig.7

09811345-112701

8/16




Fig.8



9/16




Fig.9

10/16

1000




Fig.10

1100





Fig.11

11/16

1200

TASK FORM NAME

 TASK NAME ~1205  
THIS TASK IS USED TO <INTRODUCTORY TEXT>

1210 ~ LABEL 1 :

FIELD 1

1215 ~ LABEL 2 :

MENU 2 ▼

1220 ~ LABEL 3 :

☒ CHECK BOX 3

ETC.  
•  
•  
•

1230  
OK

CANCEL


HELP

Fig.12

12/16

1300

TASK FORM NAME (STEP 1 OF 2)

 TASK NAME ~1305  
<INTRODUCTORY TEXT>

1310 ~ LABEL 1 :

•  
•  
•

1330

Fig.13

14/16





Fig.15

13/16

1400

TASK FORM NAME (STEP 2 OF 2)

 TASK NAME ~1405

1410 ~ LABEL 2 :

•  
•  
•

Fig.14

15/16

1600

1610

Resource 130.62.13.199 (on taurus)

Resource Name: 130.62.13.199  
Resource Type: IP\_address  
Cluster: spring  
Defined For: Cluster spring  
In Resource Group: ABC  
Running On: (None)  
Status: Unknown

Resource Dependencies:

Resource	Resource Type	Defined For
----------	---------------	-------------

1615

Type-specific Attributes:

Key	Value
Network Mask	0xffffffff00
Interfaces	ecD
Broadcast Address	130.62013.255

1620

Application Tasks:

- ☐ Define a New Resource
- ☐ Test Resources
- ☐ Define a Failover Policy
- ☐ Redefine a Resource for a Specific Node

1630

Close

Fig.16




Fig.17